STAMPEDE 16

Our BEST and most popular 16' Stampede spec. The Ox Preferred Stampede 16 is compatible with most Class 8 chassis applications including:

- Asphalt

- Construction

- Demolition

- Paving

Aggregates

- & MORE!





OX™ Preferred Stampede 16 Features:

- Body Style: Stampede Elliptical Body

- Length: 16'

- Side Height: 66"

- Material: AR 450

- Tailgate Style: Air High-Lift

- Top Rail: Diamond Style

- Lighting: FMVSS Compliant

- Paint: Black Finish Paint

- Control: Air Shift / Air Cutoff

- Capacity: 23 cu. yds.

Q WHAT IS OX™ PREFERRED? ×


OX[™] Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status

Priority Delivery

Stock Bodies seasonally available






STAMPEDE 16-N

Our BEST and most popular 16' Stampede spec equipped with a *narrow cabshield*. The Ox Preferred Stampede 16-N is compatible with most Class 8 chassis applications including:

- Asphalt

- Construction
- Demolition
- Paving
- Aggregates
- & MORE!





OX™ Preferred Stampede 16 Features:

- Body Style: Stampede Elliptical Body
- Length: 16'
- Side Height: 66"
- Material: AR 450
- Tailgate Style: Air High-Lift
- Top Rail: Diamond Style
- Cabshield: Narrow Style
- Lighting: FMVSS Compliant
- Paint: Black Finish Paint
- Control: Air Shift / Air Cutoff
- Capacity: 23 cu. yds.

Q WHAT IS OX™ PREFERRED? ×

OX™ Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status
 Priority Delivery
- Stock Bodies seasonally available

ORDER YOUR
OX PREFERRED
SPEC TODAY!




MAVERICK 16

Our BEST and most popular 16' Maverick spec. The Ox Preferred Maverick 16 is compatible with most Class 8 chassis applications including:

- Asphalt

- Construction
- Aggregates
- Paving
- & MORE!





OX™ Preferred Maverick 16 Features:

- Body Style: Maverick Square Body
- Length: 16'
- Side Height: 42"
- Material: 10 ga.
- Tailgate Style: 1 horizontal brace
- Top Rail: Square Tubing
- Lighting: FMVSS Compliant
- Paint: Black Finish Paint
- Control: Air shift / Air cutoff
- Capacity: 16 cu. yds.

Q WHAT IS OXTM PREFERRED? X

OX[™] Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status
 - Priority Delivery
- Stock Bodies seasonally available

ORDER YOUR
OX PREFERRED
SPEC TODAY!




STAMPEDE 17-6

Our BEST and most popular 17'6" Stampede spec. The Ox Preferred Stampede 17'6" is compatible with most Class 8 chassis applications including:

- Asphalt

- Construction
- Demolition
- Paving
- Aggregates
- & MORE!





OX™ Preferred Stampede 17'6" Features:

- Body Style: Stampede Elliptical Body
- Length: 17'6"
- Side Height: 48"
- Material: AR 450
- Tailgate Style: Air High Lift
- Top Rail: Diamond Style
- Lighting: FMVSS Compliant
- Paint: Black Finish Paint
- Control: Air shift / Air cutoff
- Capacity: 18 cu. yds.

Q WHAT IS OX™ PREFERRED? ×

OX[™] Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status
 - Priority Delivery
- Stock Bodies seasonally available

ORDER YOUR
OX PREFERRED
SPEC TODAY!



MAVERICK 10

Our BEST and most popular 10' Maverick spec. The Ox Preferred Maverick 10 is compatible with most Class 6-7 Single Axle chassis applications including:

- Public Works

- Light Construction

- Contracting

- & More!





OX™ Preferred Maverick 10 Features:

- Body Style: Maverick Square Body

- Length: 10'

- Side Height: 36"

- Side/Front Material: 10 ga.

- Tailgate Material: 7 ga.

- Floor Material: 3/16"

- Tailgate Style: Coal Chute

- Top Rail: Square

- Lighting: FMVSS Compliant

- Paint: Black Finish Paint

- Control: Air shift / Air cutoff

- Capacity: 9 cu. yds.

Q WHAT IS OXTM PREFERRED? X

OX[™] Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status

Priority Delivery

- Stock Bodies seasonally available




CHISHOLM 19-6

Our BEST and most popular 19'6" Chisholm spec. The Ox Preferred Chisholm 19'6" is compatible with most Class 8 chassis applications including:

- Asphalt

- Construction
- Demolition
- Paving
- Aggregates
- & MORE!





OX™ Preferred Chisholm 19'6" Features:

- Body Style: Chisholm Square Body
- Length: 19'6"
- Side Height: 60" Front / 52" Rear
- Material: AR 450
- Tailgate Style: 1/4" AR Outer Frame
- Top Rail: Diamond Style
- Lighting: FMVSS Compliant
- Paint: Black Finish Paint
- Control: Air shift / Air cutoff
- Capacity: 25 cu. yds.

Q WHAT IS OXTM PREFERRED? X

OX[™] Preferred Specs are equipped with top features, built for versatility, and optimized for quicker production cycles.

OX™ Preferred is an elite choice and includes:

- Ready-to-Build status
 - Priority Delivery
- Stock Bodies seasonally available

ORDER YOUR
OX PREFERRED
SPEC TODAY!

